cie

Design
Supply
Support

Door Intercom
Installation Accessories

382210

Single Height Gooseneck Intercom Stand - Car Height

The 382210 is a robust and reliable Gooseneck Mounting Post for a single Intercom or Access Reader device at car/pedestrian height.

Specifically tailored for use with the Akuvox and 2N intercom Weather Security Housings, when used in conjunction with adaptor plates listed below.

This single height Gooseneck Post positions the intercom device at 108cm* and is manufactured in highly durable powder-coated steel.

- Helps to provide fast and efficient transport barrier access and exit
- High quality durable gooseneck post
- Mounts a single Intercom at car/pedestrian access height
- Mounting position height at 108cm*
- All connection cabling routed inside post

Find out more:

(*Centre of cable entry position)

382220

Dual Height Gooseneck Intercom Post - Car & Lorry Height

The 382220 is a robust and reliable Gooseneck Mounting Post for two Intercom or Access Reader devices at car and lorry height.

Specifically tailored for use with the Akuvox and 2N intercom Weather Security Housings, when used in conjunction with adaptor plates listed below.

This dual height Gooseneck Post positions the intercom devices at 109cm* and 192cm* and is manufactured in highly durable powder-coated steel.

- Helps to provide fast and efficient transport barrier access and exit
- High quality durable gooseneck post
- Mounts two Intercom devices at car/pedestrian and lorry access height
- Mounting position heights at 109cm* & 192cm*
- All connection cabling routed inside post

Find out more:

(*Centre of cable entry position)

Gooseneck Intercom Post Adaptor Plates

381318GBP	Gooseneck Backplate for Akuvox E18C Weather & Security Housing
R20GBP	Gooseneck Backplate for Akuvox R20A, R20K, A05, E16 & E21 Weather & Security Housing
382912GBP	Gooseneck Backplate for Akuvox X912 Weather & Security Housing
382915GBP	Gooseneck Backplate for Akuvox X915 Weather & Security Housing
382401GBP	Gooseneck Backplate for 2N Solo/Access Weather & Security Housing
382403GBP	Gooseneck Backplate for 2N Verso Weather & Security Housing - 3 Module (Surface mount but requires Flush frame)
382402GBP	Gooseneck Backplate for 2N Verso Weather & Security Housing - 2 Module

Akuvox

Open A Smart World

Akuvox **X912**

Vandal-Resistant SIP Video Intercom Digital Keypad, Face Recognition, Bluetooth, RFID & QR Code - IK10

Find out more:

X912 Installation Accessories:

382912

X912 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X912 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

X912FL

X912 Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the Akuvox X912 smart IP intercom into brick, plaster, block walls, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

382912GBP
Gooseneck Backplate for X912 Weather and Security Housing

Backplate adaptor to attach X912 intercom weather and security housing onto gooseneck stands.

Akuvox **S539**

IP 10" Touchscreen Smart Door Intercom with Face Recognition, QR Code, RFID, BLE - IK08

S539 Installation Accessories:

382539
S539 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox S539 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

S539FMRC
S539 IP Intercom Flush Mount Rain Cover

Designed for flush-mounting, this rainhood provides additional protection for the Akuvox S539 intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

S539FM
S539 IP Intercom Flush Mount Kit

Provides a secure flush-mount system for the Akuvox S539 IP intercom into brick, plaster, block walls etc.

S539WM
S539 IP Intercom Surface Mount Kit

Provides a secure surface-mount system for the Akuvox S539 IP intercom onto brick, plaster, block walls etc.

Akuvox **X915**

IP Touchscreen Smart Door Intercom Unit with Face Recognition, QR Code, RFID, BLE - IK10

Find out more:

X915 Installation Accessories:

382915
X915 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X915 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

X915XS
Surface Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure surface-mount system for the Akuvox X915 smart IP intercom to brick, plaster, block walls, etc.

X915XF
Flush Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure flush-mount system for the Akuvox X915 smart IP intercom into brick, plaster, block walls, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
**Dual Height Gooseneck Intercom Stand - Car & Lorry Height**

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

382915GBP
Gooseneck Backplate for X915

Backplate adaptor to attach X915 intercom weather and security housing onto gooseneck stands.

Akuvox **R29 Series**

IP Touchscreen Door Intercom with
Digital Keypad, Camera, RFID

R29 Installation Accessories:

R29XRH
R29 Intercom Rain Hood

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R29 Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

R29XF
R29 Intercom Flush Mounting Back Box

Designed for use with the Akuvox R29 Series of smart IP Door Intercoms to allow flush mounting in brick, concrete block or plasterboard in-wall installation.

R29XS
R29 Intercom Surface Mounting Kit

Provides a secure surface-mount system for the Akuvox R29 Series of IP intercoms onto brick, plaster, block walls etc.

Akuvox

Open A Smart World

Akuvox **R28A**

IP Door Intercom Unit with Colour
Display Screen, Numeric Keypad,
Camera, RFID - IP65

Find out more:

R28 Installation Accessories:

	R27RH **R28 Intercom Weather and Security Housing** Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R28A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.
	R27R28XF **Flush Mounting Back Box for Akuvox R28 Door Intercom** Provides a secure flush-mount system for the Akuvox R28A IP intercom into brick, plaster, block walls etc.
	R27R28XS **Surface Mounting Back Box for Akuvox R28 Door Intercom** Provides a secure surface-mount system for the Akuvox R28A IP intercom onto brick, plaster, block walls etc.

Akuvox **R27A**

IP Door Intercom with Colour Camera, Keypad & RFID Card Reader

Find out more:

R27 Installation Accessories:

R27RH
R27 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R27A Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

R27R28XF
Flush Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure flush-mount system for the Akuvox R27A IP intercom into brick, plaster, block walls etc.

R27R28XS
Surface Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure surface-mount system for the Auvox R27A IP intercom onto brick, plaster, block walls etc.

Akuvox
Open A Smart World

Akuvox **E18C**

IP Access Control Unit & SIP Intercom, Touchscreen, Face Recognition, Bluetooth, RFID & QR Code

Find out more:

E18 Installation Accessories:

381318

E18 Intercom Weather and Security Housing

Designed for surface-mounting, this rainhood housing provides additional protection for the Akuvox E18C intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

381318GBP
Gooseneck Backplate for E18 Intercom

Backplate adaptor to attach E18C intercom weather and security housing onto gooseneck stands.

Akuvox
Open A Smart World

Akuvox **E16C**

IP Access Control Unit & SIP Intercom, Touchscreen, Face Recognition, Bluetooth, RFID & QR Code

E16 Installation Accessories:

E16-A05H
E16 Intercom Weather and Security Housing
Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox E16C Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

E16-A05W
Flush Mount Back Box for E16 Door Intercom
Designed for in-wall mounting, this rainhood housing provides additional protection for the Akuvox E16C Intercom. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height
Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height
Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
Gooseneck Backplate for E16 Door Intercom
Backplate adaptor to attach E16C intercom weather and security housing onto gooseneck stands.

Akuvox
Open A Smart World

Akuvox **A05 Series**

IP Access Control Reader with Face Recognition, Bluetooth, RFID & QR Code Reader

Find out more:

A05 Installation Accessories:

E16-A05H

A05 Intercom Weather and Security Housing
Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox A05 Access Reader. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.

E16-A05W

Flush Mount Back Box for A05 Access Reader
Designed for in-wall mounting, this housing provides additional protection for the Akuvox A05 Access Reader. Allows the reader to be flush-mounted into brick, block, plasterboard etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
A05 Access Reader Gooseneck Backplate

Backplate adaptor to attach A05 intercom weather and security housing onto gooseneck stands.

Akuvox **R20A Series**

Compact IP Door Intercom Unit with 1 Call Button (Video & RFID Card reader)

R20A Installation Accessories:

R20AH
R20A Intercom Weather and Security Housing
Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20A intercom weather and security housing onto gooseneck stands.

Akuvox **R20B Series**

Compact IP Door Intercom Unit with Call Buttons

R20B Installation Accessories:

R20KH

R20B Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20B Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

R20KFBB

Flush Mount Backbox for R20B Door Intercoms

Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
**Dual Height Gooseneck Intercom Stand - Car & Lorry Height**

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20B intercom weather and security housing onto gooseneck stands.

Akuvox **R20K**

Compact IP Door Intercom Unit with Keypad (Video & RFID Card reader)

R20K Installation Accessories:

R20KH
R20K Intercom Weather and Security Housing
Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R20K Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

R20KFBB
Flush Mount Backbox for R20K Door Intercom
Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20K intercom weather and security housing onto gooseneck stands.

Akuvox **E21 Series**

Vandal-Resistant IP Door Intercoms

E21 Installation Accessories:

E21H

E21 Intercom Weather & Security Housing, Black

Designed for external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather.

E21E

E21 Intercom Weather & Security Housing, Emergency Orange

Designed for surface-mount, internal & external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather and harsh environments. Bright orange for high visibility/emergency applications.

E21XF

Flush Mounting Back Box for Akuvox E21 Door Intercoms

Provides a secure surface-mount system for the Akuvox E21 series of IP intercoms onto brick, plaster, blockwalls, etc.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

R20GBP
Gooseneck Backplate for E21 Door Intercom

Backplate adaptor to attach E21 intercom weather and security housing onto gooseneck stands.

Akuvox **S567W**

10" IP Indoor Touchscreen
Answering Panel with WiFi &
Bluetooth

Find out more:

S567 Installation Accessories:

ITC567
Desk Stand for S567
Desktop stand for positioning S567W Answering Panel on horizontal surfaces such as a desk or table.

Akuvox **S563W**

8" IP Indoor Touchscreen Answering Panel with WiFi & Bluetooth

Find out more:

S563 Installation Accessories:

ITC563
Desk Stand for S563
Desktop stand for positioning S563W Answering Panel on horizontal surfaces such as a desk or table.

Akuvox **S562W**

7" IP Indoor Touchscreen Answering Panel with WiFi

Find out more:

S562 Installation Accessories:

ITC562
Desk Stand for S562
Desktop stand for positioning S562W Answering Panel on horizontal surfaces such as a desk or table.

Find out more:

Akuvox C319 Series

10" IP Indoor Touchscreen Intercom Answering Panel

C319 Installation Accessories:

ITC10
Desk Stand for Akuvox C319
Brushed steel desktop stand with a rubber foot for the Akuvox C319 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.

Akuvox **IT88 Series**

10" IP Indoor Touchscreen Intercom Answering Panel

Find out more:

IT88 Installation Accessories:

ITC10
Desk Stand for Akuvox IT88

Brushed steel desktop stand with a rubber foot for the Akuvox IT88 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.

Akuvox **X933 Series**

7" Touchscreen Door Intercom Answering Panel, Wifi and Bluetooth

X933 Installation Accessories:

ITC933
Desk Stand for Akuvox X933

Brushed steel desktop stand with a rubber foot for the Akuvox X933 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.

Akuvox **X7HD Series**

7" IP Indoor Touchscreen Intercom Answering Panel

Find out more:

X7HD Installation Accessories:

ITC7
Desk Stand for Akuvox X7HD

Steel desktop stand, finsihed in black for the Akuvox X7HD range of door intercom answering panels. The ITC7 stand is a simple and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.

Akuvox C315

7" IP Indoor Touchscreen Intercom Answering Panel

Find out more:

C315 Installation Accessories:

ITC7
Desk Stand for Akuvox C315

Steel desktop stand, finsihed in black for the Akuvox C315 range of door intercom answering panels. The ITC7 stand is a simple and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.

2N **IP Style Series**

IP Style - Digital Touchscreen Door Intercom with Bluetooth and RFID

IP Style Installation Accessories:

9157001

IP Style Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the 2N IP Style IP intercom into brick, plaster, block walls etc.

9157002

**IP Style Intercom Surface Mounting Back Box**

Provides a secure surface-mount system for the 2N IP Style IP intercom onto brick, plaster, block walls etc.

9157003

IP Style Intercom Antibacterial Screen Cover

Providing even greater customer confidence for door entry and access in high traffic areas, this antibacterial screen can be quickly and easily added to pre-installed 2N IP Style devices, providing up to 99% antibacterial protection for the touchscreen interface.

2N

2N **IP Verso 2 Module Series**
IP Verso Modular Door Intercom

Find out more:

IP Verso 2 Module Installation Accessories:

	382402 **Verso Intercom Weather & Security Housing - 2 Module** Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercoms camera in bright sunlight. (Requires/compatible with **9155012B**).
	9155012B (Black) / 9155012 (Nickel) **IP Verso Door Intercom / Access Unit - Flush Installation Frame - 2 Module** The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.
	9155022B (Black) / 9155022 (Nickel) **IP Verso Door Intercom / Access Unit - Surface Installation Frame - 2 Module** The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.
	9155072 **Verso Door Intercom Wedge Angled Backplate for 2 Modules** The 9155072 is an angled surface-mounting backplate for the 2N Verso range of modular IP and LTE Intercoms.

| **382210**
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas. | **382220**
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones. | **382402GBP**
Verso Gooseneck Back Plate - 2 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands. |

2N **IP Verso 3 Module Series**
IP Verso Modular Door Intercom

IP Verso 3 Module Installation Accessories:

382403

Verso Intercom Weather & Security Housing - 3 Module
Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight. (Requires flush-mounting frame **9155013B**).

9155013B (Black) / 9155013 (Nickel)

IP Verso Door Intercom / Access Unit - Flush Installation Frame Black -3 Module
The 2N 9155013 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additonal Module or with 3 x Additional Function Modules.

9155023B (Black) / 9155023 (Nickel)

IP Verso Door Intercom / Access Unit - Surface Installation Frame -3 Module
The 2N 9155023 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additonal Module or with 3 x Additional Function Modules.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

382403GBP
Verso Gooseneck Back Plate - 3 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands.

2N **IP Solo Series**
IP Solo Door Intercom Unit

IP Solo Installation Accessories:

382401
Solo Weather & Security Housing
Designed for surface-mounting, this rainhood provides additional protection for the 2N IP Solo intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.

9155071
Solo Angled Wedge Backplate
The 9155071 is an angled surface-mounting backplate for the 2N Solo range of compact IP Intercoms.

9155074
Solo Intercom Glass Mount
With this glass mount, you can easily mount the 2N IP Solo intercom on a glass surface.

382210
Single Height Gooseneck Intercom Stand - Car Height
Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height
Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

382401GBP
Gooseneck Back Plate
Backplate adaptor to attach IP Solo weather and security housing onto gooseneck stands.

2N **IP Force Series**

IP Force Vandal Resistant Door Intercom Unit

IP Force Installation Accessories:

9151005
Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

9151007
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.

2N **IP Safety Series**

IP Safety Door Intercom Units in high visibility orange

Find out more:

IP Safety Installation Accessories:

9151005
Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.

382210
Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.

9151007
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.

382220
Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.