


IP Enabled Solutions


Next Generation Enterprise Communications





Elevate Your VoIP Infrastructure with AtlasIED PoE Powered Products







IP Endpoint with Display



IP-to-Analog Gateways



IP Enabled Paging Servers

Hardware Solutions

"Our VoIP investment was maximized by eliminating the need for a separate audio infrastructure."

"Now, we have one solution to optimize messaging and emergency evacuation for our entire organization."

AtlasIED provides innovative IP-based solutions for commercial building spaces needing:



Wide Area Coverage



High Output Sound Levels



Visual Notifications



Hands Free Communication





Weather & Vandal Resistance

Our system takes full advantage of existing Voice and Data networks while preserving the convenience and user-friendliness of VoIP phones to now cover important areas - that a VoIP handset alone cannot.


AtlasIED is a proud Cisco™ Preferred Solution Partner







AtlasIED Technology Innovation







Connect More Speakers with our



Connection Port

An AtlasIED amplification breakthrough technology. Now, you can power additional passive speakers from our PoE device.

Power For Multiple Speakers (PFMS) connection port can provide amplifier power when used on a PoE+ or PoE network switch. PFMS is provided in our IP enabled speakers, visual displays, and IP-to-Analog Gateways.

More Power - Now Available



Easy Installation

IP Enabled Speakers - Features and Benefits

- · Requires Only One Network Cable
- Power Over Ethernet
- Can Be Powered by Power Supply When PoE is Not Available
- Simple Mounting







Plug and Play

- Auto Registers with 3rd Party Applications
- Auto Provisions to Simplify Configuration and Installation





Onboard Amplifier and Processor

- Class D Amp Technology
- Ultra-Energy Efficient
- Designed to Support 44k Audio
- Amplifier has a PFMS Port to Power More Speakers





Accurate and High-Output Performance

- Engineered for Excellent Speech Intelligibility
- Optimized for Crystal Clear Talkback
- High-Output Sound Levels for Large Areas





Local Input / Output and Control Ports

- Input a Local Audio Source such as Music or Paging
- Output Audio to External Devices
- Trigger Pre-Recorded Announcements or Critical Alerts
- Relay to Interface with External Devices






Interoperable with Multiple Media Stream Protocols

- Supports VolP G.711 Codec
- Supports VolP G.722 Codec





Surface / Flush Mount Speaker with Display Solutions

AtlasIED IP-SDMF endpoint includes high-output speaker, visual display, talkback mic, and flasher in one solution.

Rugged Construction

Thick 16 gauge steel
Dent resistant
Powder coated

Integrated Mic for Talkback Communications

Full-definition audio Ambient noise reduction Feedback proof

Integrated Digital Amplifier

Ultra-efficient power design Class D technology Loudspeaker processing

One Cable Installation

PoE or PoE+ enabled No separate power cable required



Highly Intelligible Driver

Full definition audio capable 8" coaxial speaker Excellent speech intelligibility

Local Connectivity

Line level input Line level output

General Purpose Input / Output Control Ports

2 inputs and 1 output Trigger critical alerts

PFMS Port

Power for more speakers Up to 7.5W on a PoE+ switch Up to 4.5W on a PoE switch

LED Flasher

Industrial grade LEDs Multi-color Multi-flash rate

High-Resolution LCD

Industrial grade LCD Displays clock, rolling text, and weather ADA-compliant

Surface / Flush Mount Speaker Solution

AtlasIED IP-SM IP endpoint includes high-output speaker and talkback mic.




Thick 16 gauge steel Dent resistant Powder coated

Integrated Mic for Talkback Communications

Full-definition audio Ambient noise reduction Feedback proof

Integrated Digital Amplifier

Ultra-efficient power design Class D technology Loudspeaker processing



Highly Intelligible Driver

Full definition audio capable 8" coaxial speaker Excellent speech intelligibility

Local Connectivity

Line level input Line level output

General Purpose Input / Output Control Ports

2 inputs and 1 output Trigger critical alerts

PFMS Port


Power for more speakers Up to 7.5W on a PoE+ switch Up to 4.5W on a PoE switch

One Cable Installation

PoE or PoE+ enabled No separate power cable required


Drop-Tile Speaker Solution

AtlasIED IP-22SYSMF IP endpoint includes high-output speaker, talkback mic, and flasher in easy to install solution.



Vandal Proof Speaker Solution

AtlasIED IP-HVP IP endpoint includes high-output speaker and talkback mic with a vandal proof design.



Full Line of Products

Indoor Wall IP Endpoint with Speaker, LCD, and Flasher

- Included Talkback Microphone
- Surface or Flush Mount Sold Separately



IP-SDMF

Indoor Wall IP Endpoint with Speaker and LCD

- Included Talkback Microphone
- Versions with Loudspeaker Transducer or Horn **Assembly**
- Surface or Flush Mount Sold Separately






IP-SDM

IP-SDH

Indoor Drop Tile Ceiling Mount IP Endpoint with **Speaker**

- Included Talkback Microphone
- Available With or Without LED Flasher
- Pre-Assembled Unit Reduces **Installation Time**









IP-22SYSME

Indoor Wall / Ceiling Mount IP Endpoint with **Speaker**

- Included Talkback Microphone
- · Surface or Flush Mount Enclosures Sold Separately
- · Ceiling Mount Capability via I8S-TB or I8S-TBE Tile Bridge Package



IP-SM

Weather & Vandal Resistant Indoor / **Outdoor IP Endpoint** with Speaker

- IP34 Rated
- · High-Output Horn Assembly
- Surface or Flush Mount Sold Separately



IP-HVP

Outdoor Use Intercom Station

- SIP Compatible Only (Does Not Support InformaCast or SynApps)
- · Pedestal Mount Capable



IPS-VOI

Indoor Wall IP Endpoint with Speaker, LCD, and Flasher

Indoor Wall IP
Endpoint with Speaker
and LCD

Indoor Wall IP Endpoint with Speaker, Flasher and LED Display

Specialty Models

- 25V/70V Transformer and Switch for Retrofit Applications
- Included Talkback Microphone
- Surface or Flush Mount Sold Separately



IP-SDMF-72

- 25V/70V Transformer and Switch for Retrofit Applications
- Included Talkback Microphone
- Surface or Flush Mount Sold Separately




IP-SDM-72

- Included Talkback Microphone
- Surface or Flush Mount Sold Separately




IP-SDMFLED

The IP-SDMF-72 and IP-SDM-72 can be installed connecting both 25V/70V speaker wire to an analog headend and network cable to a switch simultaneously.




IP-to-Analog Gateway

AtlasIED IP-ZCM is perfect for connecting your unified communication platform to analog audio systems.



IP-to-Analog Gateway

AtlasIED IP-ZCM System Example





IP-to-Analog Gateways - Features and Benefits

Easy Installation

- Requires Only One Network Cable
- Power Over Ethernet
- · Can Be Powered by Power Supply When PoE is Not Available
- Simple Mounting





Plug and Play

- Auto Registers with 3rd Party Applications
- Auto Provisions to Simplify Configuration and Installation





Onboard Amplifier

- Class D Amp Technology
- Ultra-Energy Efficient
- Designed to Support 44k Audio
- Amplifier Has PFMS Port to Power Additional Speakers





Accurate and High-Output Performance

- · Engineered for Excellent Speech Intelligibility
- Optimized for Crystal Clear Talkback





Local Input / Output and Control Ports

- Input a Local Mic and Level Source
- Output Audio to External Devices
- Trigger Pre-Recorded Announcements or Critical Alerts
- Relay to Interface with External Devices






Interoperable with Multiple Media Stream Protocols

- Supports VolP G.711 Codec
- Supports VoIP G.722 Codec





Full Line of Products

Network Specifications

- Dynamic or Static IP Address
- IEEE 802.3 10/100Base-T Ethernet
- IEEE 802.1q Tagging
- IEEE 802.11AT Compliant
- VoIP Standard Audio: G.711 u-law/a-law (16 kbit/s) or G.722 Wideband Audio (64 kbit/s)

Technical Specifications

Audio Features

- Integrated Amplifier
- Aux Audio Line-In Unbalanced (2.8Vpp 10K)
- Aux Audio Line-Out Unbalanced (2.8Vpp 10K)



- Phone / Night Loud Ringer
- External Power Supply Option



IP-ZCM

Single Device Rack Mount Kit Package IP-to-Analog Gateway

- Includes One IP-ZCM Unit
- · Includes 1 RU Rack Kit



IP-ZCM1RMK

Dual Device Rack Mount Kit Package IP-to-Analog Gateway


- Includes Two IP-ZCM Units
- · Includes 1 RU Rack Kit



IP-ZCM2RMK

Dual-Sided Visual Display Solution

AtlasIED IP-DDS extends notifications with effective visual text alerts for high ambient noise areas or large spaces.



Single-Sided Visual Display Solution

AtlasIED IP-DM extends notifications with effective visual text alerts for high ambient noise areas or large spaces.



Atlas

Easy Installation

IP Enabled Visual Displays - Features and Benefits

Requires Only One Network Cable

- Power Over Ethernet+
- Can Be Powered by Power Supply When PoE+ is Not Available
- Simple Mounting







Plug and Play

- Auto Registers with 3rd Party Applications
- Auto Provisions to Simplify Configuration and Installation





ADA Compliant

- Meets Requirements for Visual Critical Alerts
- Visually Reinforce the Audio Communication System





Displays

- Time
- Weather
- Visual Messages
- Emergency Messages





Onboard Amplifier

- Amplifier has a PFMS Port to Power More Speakers
- Class D Amp Technology
- Ultra-Energy Efficient
- Designed to Support 44k Audio





Local Input / Output and Control Ports

- Input a Local Audio Source such as Music
- Output Audio to External Devices
- Trigger Pre-Recorded Announcements or Critical Alerts
- · Relay to Interface with External Devices





Full Line of Products

Dual Sided LCD with Speakers and Flasher

- · Dual High Resolution LCD
- Integrated Amplifier Output
- Dual 3" Speakers
- Multi-Color Flasher



IP-DDS*

Dual Sided LCD with Flasher

- · Dual High Resolution LCD
- Integrated Amplifier Output
- Can Power External Speakers
- · Multi-Color Flasher



IP-DD*

Single Sided LCD

- · Single High Resolution LCD
- Integrated Amplifier Output
- Can Power External Speakers
- Integrated Microphone



IP-DM

Surface Mount Strobe Assembly

- SIP Activation
- 5 User Blink Scenes Available
- Event Controlled Relay
- · Mailbox Message Waiting Indication



IPS-SIS

^{*} Note: IP-DD and IP-DDS must be run off PoE+ enabled switch.


SIP-to-Analog Gateway


AtlasIED IPS-ZC4 is a SIP-only gateway that allows VoIP devices to effectively communicate to any analog audio system.




SIP Paging Server

AtlasIED IPS-VPS is the perfect for creating group paging through multicast transmission to SIP endpoints and analog systems. In applications where the SIP servers and VoIP communications managers may not support paging groups or where 3rd party notification applications are not required.









AtlasIED is a global electronics manufacturer providing comprehensive audio solutions for commercial businesses. We save organizations time and money with the effective use of audio communication systems, while also helping to maintain a safe work environment. This is accomplished with our industry-leading mass notification, life safety, VoIP and speech privacy systems. Our technologies seamlessly interface and integrate into existing and future analog and IT-based infrastructures.

Our systems are used by the largest enterprise businesses such as Fortune 1000 companies, schools, universities, manufacturing plants, airports, public transportation hubs, sports arenas, hospitals, hotels, and large retail chain stores. We also work in smaller businesses like your local coffee shop, bar, restaurant, and house of worship.

At AtlasIED, we care about every business size, and we want each of them to not only survive - we want them to thrive!

The AtlasIED Advantage

These are the four main motivations why customers choose us over other commercial audio manufacturers.



AtlasIED stays at the forefront of commercial building construction trends. Our products are built future proof. Our innovative solutions focus on everyday use cases and cut down installation times, reduce maintenance requirements, increase productivity, and provide long-lasting reliability.

AtlasIED has products that have been installed over 20 years ago, and are still working as if they were brand new.



AtlasIED provides over 2,000 unique product offerings. We are very proud to offer a specific system solution for your exact need like no one else.

You don't have to rely on multiple suppliers to complete your entire project. You can get it from AtlasIED as your one source provider.



We make it easy for you to choose the right solution with our industry leading support teams. We have over 44 dedicated sales managers, vertical market managers, and technology specialists located in each of the major geographic areas. These professionals are trained to help identify your needs and provide the right system solution. We also deliver a deeper layer of support with our 120+ manufacturer representatives and distributors located around the world.



Even though AtlasIED is a multi-million dollar manufacturing organization with nine locations, we are a family-owned business and still manufacture within the United States carrying an ISO9001:2008 Quality Standards Certification. Our company makes quicker decisions and nimble enough to accommodate market trend changes. We retain our people and maintain work stability that results in high-quality standards for our products.

